

# Banned Drinkers Register Mobile Application User Manual

VERSION 1.0

DATE PREPARED October 2023 - Commercial in Confidence

PREPARED FOR DLGSC

PREPARED BY Scantek Solutions Pty Ltd Phone 1300 552 106 www.scantek.com.au

# **TABLE OF CONTENTS**

1	GET	ITIN	G STARTED	3
	1.1	iPa	d User Guide	3
	1.2	Set	ting up the BDR Device (iPad)	4
	1.2.	1	Network Availability	4
2	Log	ging	In	6
	2.1	Cre	dentials	б
	2.2	Get	ting Started	б
	2.2.	1	Device Passcode	б
	2.2.	2	To Login	7
	2.2.	3	Setup your login	9
3	OPE	ERAT	TING THE BDR MOBILE APP	12
	3.1	Sca	anning Conditions	13
~	3.2	То	Scan an ID	14
	3.2.	1	Action Buttons	15
	3.3	Cap	oturing a Digital ID	16
4	Tak	e-av	vay Alcohol Management System (TAMS)	18
2	4.1	TAI	MS Purchase Screens	18
	4.1.	1	Workflow One	18
	4.1.	2	Workflow Two	19
	4.1.	3	Workflow Three	20
2	4.2	Red	cording a Purchase	22
5	SCA	AN R	ESULTS	26



	5.1	BDF	R Scan Results	26
	5.2	TAN	AS Only scan results	31
6	S11	5 BA	Ν	33
	6.1.	1	From a Scan	35
	6.1.	2	From the Main Screen	36
	6.1.	3	From previous sales	37
	6.2	Ren	nove a S115 Ban	37
7	Ban	Mat	ches	40
8	Settings			



# **1 GETTING STARTED**

## 1.1 iPad User Guide

You can access the iPad User Guide on the apple website: <u>https://support.apple.com/en-au/guide/ipad/ipada6b7a0b6/ipados</u>.







# 1.2 Setting up the BDR Device (iPad)

To set up your device:

- a. Remove the BDR Device (iPad) from the box.
- b. Power on the device by holding and pressing the button at the top right-hand corner (*Figure 1*).





Important: Place the BDR Device (iPad) on charge a minimum of 4 hours before opening time.

#### 1.2.1 Network Availability

Before using your BDR Device (iPad), please connect the device to your venue's secure Wi-Fi network.

a. From the BDR Mobile Device's (iPad) Home screen, tap Settings (Figure 2).





b. In the left panel, select *Wi-Fi* (*Figure 3*).



	Setting	S	Keyboards	Keyboards	Edit
1	Airplane Mode	$\bigcirc$			
?	Wi-Fi	ALLO16FB1_5G	English (United Stat	es)	
*	Bluetooth	Alrey	Emoji		
6	Notifications	ᅙ Wi-Fi	Add New Keyboard.		
	Sounds	Blue			
0	Do Not Disturb				



c. To search for nearby wireless networks, move the Wi-Fi slider to on/green (*Figure 4*). Select your venue Wi-Fi network from the list.

	Settings		Wi-	Fi
✐	Airplane Mode	0	Wi-Fi	
<ul><li><b>○</b></li></ul>	Wi-Fi	ALLO16FB1_5G	ALLUI6FBI_5G	
2	bluetooth		PERSONAL HOTSPOTS	
C	Notifications		CHOOSE A NETWORK	
<b>(</b> )	Sounds Do Not Disturb		ALLO16FB1	<b>€</b> ₹ ()
0			badforbusiness	<b>•</b> ≎ (j)

Figure 4

d. Enter the Wi-Fi username and/or password (Figure 5).

Settings	Enter the password for '	
	Cancel Enter Password Join	
Airplane Mode		<b>a</b> ≈ (j)
🛜 WI-FI	Password	
Bluetooth	or Mac which has c Password	ui ute mo



e. A blue tick will appear next to the Wi-Fi Network once the BDR Mobile Device (iPad) is connected (*Figure 6*).

	Settings		Wi-Fi	
Đ	Airplane Mode		Wi-Fi	
<b>?</b>	Wi-Fi	ALLO16FB1_5G	VALLO16FB1_5G	ê 🗢 🕕
8	Bluetooth	On		



# 2 Logging In

# 2.1 Credentials

You need to be an authorised user to use the BDR Mobile App. You will have been provided a user account as part of your onboarding.

If you have not been provided with an account, please contact the Department of Local Government, Sport, and Cultural Industries (DLGSC).

## 2.2 Getting Started

#### 2.2.1 Device Passcode

Upon receiving your BDR Mobile Device (iPad), you will be prompted to setup a new passcode (*Figure 7*). This code will be used to unlock the iPad.





If a passcode is not entered within the hour, the device will enforce a passcode and cannot be used until the passcode is set. To set a passcode:



- a. Unlock the iPad.
- b. A Passcode Requirement prompt will appear (Figure 7).
- c. Select Change Now.
- d. Enter a 6-digits code, confirm, and tap Set Passcode.

#### 2.2.2 To Login

You will have received an email containing your username and temporary password prior to receiving your BDR Mobile Device (iPad).

Unlock your BDR Mobile Device (iPad) and tap on the screen to access the BDR Mobile application. You will be presented with the BDR Mobile application login screen (*Figure 8*).



Figure 8

#### Logging in for the first time

- a. Enter your email and the temporary password and tap Login (Figure 9).
- b. Follow the onscreen prompts to set your new password and tap Submit (Figure 11).
- c. Where enabled, enter the one-time, authentication code (refer to *Setup Mobile Authentication* for instructions to set this up), then tap *Submit*.



**Important:** Where enabled, a Multi-Factor Authentication (MFA) code will be necessary for every login event.

	SCANT	EK		
	🔒 keycloak.bdr.scante	k.cloud		
	SCANT	EK		
Email ad	<b>dress</b> our email address			
Passwor	d			
Enter y	our password			
	ļ	forgot my password		
	Login			
<	>		Û	



## 2.2.3 Setup your login

Use the password recovery feature in the BDR Mobile app to set your password and, where applicable, MFA authentication (refer to Setup Mobile Authentication below).

Cancel	A keycloak.bdr.scantek.cloud	A Č	
	SCANTEK Recover Password		
	Enter your username or email address and we will send you instructions on how to create a new password. Email address Enter your email address	]	
	Send recovery details		
<	Back to Login	Û	

Figure 10

#### Resetting your password

- a. Unlock your BDR Device (iPad) and tap the screen to access the login screen.
- b. On the login screen, tap I forgot my password (Figure 9).
- c. Enter your email address and select Send recovery details (Figure 10). You will receive an email with instructions to create a new password.
- d. Click the link in the email.
- e. Enter your new password and click *Submit* (*Figure 11*).







# **Create new Password**

character	protect your account, your password needs to be at least 1; s long and contain one of each of the following:
- A numbe	ər;
- A specia	I character;
- An uppe - A lowerc	rcase character; and ase character.
New Pas Enter y	your new password
Confirm	password
Re-ent	er your new password
6	Submit

#### Setup Mobile Authentication

Where enabled, you will be required to setup one-time password (OTP) authentication. To do this, you will need your own personal mobile device (e.g., a mobile phone).

- a. Install one of the following authentication applications on your mobile device:
  - Google Authentication
  - FreeOTP
  - Microsoft Authentication
- b. Open the authentication application and scan the QR code presented in BDR Mobile app. Alternatively, in the BDR Mobile app, select *Unable to scan?* and enter the setup key in the authentication application.
- c. In the BDR Mobile app, enter the one-time code provided by the authentication application.
- d. Select *Submit* to complete the setup process. You will be presented with the login screen.

Logging In



- a. Unlock your BDR Device (iPad) and tap the screen to access the login screen.
- b. On the login screen, enter your email and password, and tap Login.
- c. Where enabled, enter the one-time, authentication code (refer to *Setup Mobile Authentication* for instructions to set this up), then tap *Submit*.

#### Logging Out

On the main screen, tap the Settings icon and select the Log out button (Figure 12).

Settings ×	BDR Thursday, 12/10/2023 2:59 pm	TAL ID 📄 NSW DDI
A User Preferences →	ID Photo	Patron Details
		LAST NAMES
		DOCUMENT TYPE
[→ Log out	Scan ID and Patron to get verification	results
Having troubles?	SCANTEK	

Figure 12





# **3 OPERATING THE BDR MOBILE APP**

Once logged in, you will be presented with the scanning interface (Figure 13).

BDR 😨 Tuesday, 07/11/2023 3:55 pm	🗐 DIGITAL ID 📄 NS	SW DDL S115 BA	ans 000
ID Photo	C Rescan       Patron Details         FIRST NAMES       Instrumes         LAST NAMES       DOCUMENT TYPE         DOCUMENT STATE       Instrumes		Edit DOB UNTRY
Scan ID and Patron to get w	verification results	Sca Cancel	an S115 Ban

#	Function	Description
1.	Venue Name	Displays the venue name as specified in the portal.
2.	Date and Time	Current, local device date and time.
3.	Digital ID	This allows operators to capture digital IDs where a QR must be scanned from the Patron's device, such as AusPost Digital ID.
4.	NSW DDL	This allows operators to scan the NSW Digital IDs. On- screen instructions will display to scan the digital ID.
5.	S115 Bans	View the list of S115 Bans as well as previous scans from earlier that day.
6.	Scan Count	Automatically increments for every scan regardless of the action performed by the operator.



7.	Scan	To begin scanning, tap this button.
8.	ID Photo window	Displays the captured ID image.
9.	Rescan	To re-take the ID photo.
10.	Patron Details	Displays the captured ID details.
11.	Edit	To rectify incorrectly captured ID details.
12.	Scan Status	Indicates whether the patron ID is acceptable or fraudulent; if patron is underage or banned.
13.	Action buttons	Select if the patron has been allowed entry, rejected, or create a S115 Ban.
14.	Other Information	Displays the app version, device name, network speed and the date the ban list last synced to the scanning device. Where the device does not have an internet connection, the network speed will be replaced with an <i>Offline</i> status.
15.	Connectivity Status	Indicates whether the scanning device is communicating with the Scantek Cloud for up-to-date information.

## 3.1 Scanning Conditions

For optimal scan results, device stability and appropriate lighting conditions are essential.

#### • Device Stability

Try to keep the mobile device as stable as possible. This will minimise blur in the document being captured. Blurry scans may result in inaccurate scan results and will require manual entry and/or a recapture of the document.

#### • Lighting Conditions

Ensuring proper lighting during document capture is crucial. Avoid extremely dim or overly bright conditions.

Excessive or uneven lighting can result in glare, which may appear as a red highlight on the scan screen. If you notice light reflecting on the document, consider moving to a different location or adjusting your scanning angle. These adjustments will improve the captured scan results.



# 3.2 To Scan an ID

Before you scan an ID, make sure that the text on the physical document is clear and not obstructed. This obstruction could be caused by residue, dirt, normal wear & tear, or fading.

If the document cannot be cleaned, please ensure to manually correct the missing details using the *Edit* button for accurate scan results, following the instructions provided below.

- a. Tap the Scan button (Figure 13) to begin the capture process.
- b. Align the physical ID between the viewfinder's guidelines. The BDR Mobile app will automatically detect and capture the ID.
- c. The results screen (*Figure 14*) will display the captured ID image and the patron's details.

BDR Thursday, 12/10/2023 3:00 pm	AL ID 💽 NSW DDI	S115 BAI	NS 013
	Patron Details © FIRST NAMES Sam LAST NAMES Sample DOCUMENT TYPE Proof Of Age Card DOCUMENT STATE Queensland	MIDDLE NAME EXPIRY DATE 16/06/2070 DOCUMENT COU Australia	Edit DOB 15/10/2000 ACE 22 NTRY
OK Check the patron matches their ID		Acce	pt S115 Ban

Figure 14

To fix the incorrect capture results, re-scan the ID by tapping the *Rescan* button in the *ID Photo* window; or manually *Edit* the captured ID details. To do so,

- a. Tap the *Edit* button in the *Patron Details* window.
- b. Select the fields that require correcting; a keyboard will display.



c. Select *Update* to save the changes. Then, action the scan as per normal (*Figure 15*).

## 3.2.1 Action Buttons



#	Action	Description
1.	Accept	The patron's document is valid, and you can proceed with the purchase by selecting <i>Accept</i> .
2.	Deny or cancel	This allows you to deny a patron from making sale. Selecting <i>Deny</i> will clear the screen and you can proceed with the next scan.
3.	S115	This will display a form to add a S115 ban.





# 3.3 Capturing a Digital ID

The BDR Mobile app provides the capability to capture NSW Digital IDs and the AusPost digital IDs.

BDR 5 Thursday, 12/10/2023 2:59 pm	DIGITAL ID	NSW DDL S115 B/	ans 013
ID Photo	C Rescan Patron Detai First NAMES LAST NAMES DOCUMENT TYPE	IS MIDDLE NAME EXPIRY DATE	DOB
Scan ID and Patron to get	verification results	Sc	an S115 Ban



#### To scan the AusPost digital ID (1):

- i. Tap the *DIGITAL ID* button.
- ii. A window to scan the QR code will display.
- iii. Scan the QR code from the patron's device; like scanning an ID.
- iv. The patron ID details will be displayed on the main screen.

#### To scan an NSW Digital ID (2):

- a. Tap the NSW DDL button.
- b. The patron must scan the QR code displayed on the BDR Mobile App with their phone. To do this, the patron must:
  - i. Log in to the Service NSW App from their personal phone,
  - ii. Select the driver license,
  - iii. Tap the dots in the right-hand corner,



- iv. Click Sign into a venue,
- v. Follow the process and scan the displayed QR code.
- vi. The patron ID details will be displayed on the main screen.



# 4 Take-away Alcohol Management System (TAMS)

Where TAMS has been enabled, the system will also determine whether a Patron is entitled to purchase alcohol, depending on what they have already purchased that day.

This section outlines how to use the TAMS functionality.

## 4.1 TAMS Purchase Screens

The TAMS screens will vary to accommodate local alcohol restrictions. Where TAMS is enabled, one of the following workflows will be enabled on the terminal (s). The workflow will be dependent on your venue's location.

The process to record a TAMS purchase will be the same across all workflows. For details on recording TAMS purchases, refer to *4.2 Recording a purchase*.

#### TAMS X East Kimberley - Kununurra & Wyndham Beer or RTD to 7% 330mL x 1 330mL x 6 330mL x 24 330mL x 30 Beer or RTD to 7% 375mL x 1 375mL x 24 375mL x 30 375mL x 6 Wine or Other to 15% 250mL x 1 750mL x 1 1L x 1 750mL x 3 Spirits or Other above 15% 375mL x 1 700mL x 1 750mL x 1 1L x 1 Fortified Wine to 20% Fortified Wine to 20% Fortified Wine to 20% Fortified Wine to 20% 700mL x 1 750mL x 1 375mL x 1 1L x 1 Custom Override Modify Sale

#### 4.1.1 Workflow One



## 4.1.2 Workflow Two





## 4.1.3 Workflow Three

#### Screen One - TAMS Menu

TAMS Carnarvon				$\mathbf{x}$
Beer, Cider or RTD	Wir	ne	Spirits / Fort	ified Wine
Custom	Override	Modify		Sale

Figure 19

#### Screen Two - Beer, Cider or RTD

This screen is displayed when "Beer, Cider or RTD" is selected from the TAMS Menu.

<b>TAMS</b> Carnarvon					×
Beer, Cider or RTL	þ	Wi	ne	Sp	irits / Fortified Wine
Beer, Cider or RTD to 6% 330mL x 1	Beer, C	ider or RTD to 6% 330mL x 6	Beer, Cider or RTE 330mL x 24	0 to 6%	Beer, Cider or RTD to 6% 330mL x 30
Beer, Cider or RTD to 6% 375mL x 1	Beer, C	ider or RTD to 6% 375mL x 6	Beer, Cider or RTD to 6% 375mL x 24		Beer, Cider or RTD to 6% 375mL x 30
Beer, Cider or RTD above 6% 330mL x 1	Beer, Cid	er or RTD above 6% 330mL x 4	Beer, Cider or RTD a 330mL x 6	bove 6%	Beer, Cider or RTD above 6% 330mL x 10
Beer, Cider or RTD above 6% 375mL x 1	Beer, Cide	er or RTD above 6% 375mL x 4	Beer, Cider or RTD a 375mL x 6	bove 6%	Beer, Cider or RTD above 6% 375mL x 10
Custom		Override	Modify		Sale

Figure 20



#### Screen Three - Wine

Beer, Cider or RTE	)	w	ine	Sp	pirits / Fortified Wine
Wine 250mL x 1	7	Wine 50mL x 1	Wine 1L x 1		Wine 1.5L x 1

This screen is displayed when "Wine" is selected from the TAMS Menu.

Figure 21

Screen Four – Spirits and Fortified Wine

This screen is displayed when "Spirits/Fortified Wine" is selected from the TAMS Menu.

TAMS Carnarvon				×
Beer, Cider or RTE	y V	Vine	Sp	pirits / Fortified Wine
Spirits / Fortified Wine 375mL x 1	Spirits / Fortified Wine 700mL x 1	Spirits / Fortified 750mL x 1	Wine	Spirits / Fortified Wine 1L x 1
Custom	Override	Modify		Sale

Figure 22



# 4.2 Recording a Purchase

If the patron's ID returns an *OK* or *Warning* scan result, select the '*Accept*' button to proceed with the sale. Refer to 5.2 – *TAMS Only Scan Results* for different scan results.

Where *Workflow Three* is enabled, first select the drink type from the TAMS Menu. Refer to 4.1.3 – *Workflow Three*, *Screen one – TAMS Menu*.

		TAMS East Kimberley - Kununurr	a & Wyndham		8
		Beer or RTD to 7% 330mL x 1	Beer or RTD to 7% 330mL x 6	Beer or RTD to 7% 330mL x 24	Beer or RTD to 7% 330mL x 30
Recording a		Beer or RTD to 7% 375mL x 1	Beer or RTD to 7% 375mL x 6	Beer or RTD to 7% 375mL x 24	Beer or RTD to 7% 375mL x 30
Purchase		Wine or Other to 15% 250mL x 1	Wine or Other to 15% 750mL x 1	Wine or Other to 15% 1L x 1	Wine or Other to 15% 750mL x 3
a. Select the		Spirits or Other above 15% 375mL x 1	Spirits or Other above 15% 700mL x 1	Spirits or Other above 15% 750mL x 1	Spirits or Other above 15% 1L x 1
options and tap		Fortified Wine to 20% 375mL x 1	Fortified Wine to 20% 700mL x 1	Fortified Wine to 20% 750mL x 1	Fortified Wine to 20% 1L x 1
Sale .					
		Custom	Override	Modify	Sale
			Figu	re 23	





 Review the listed items and tap 'Save' to complete the purchase.

This will update the patron's alcohol purchase history on all online devices.

ſ	TAME		
	East Kir	Sale	
	Be	Beer or RTD to 7% 330mL x 1	7%
	Be		7%
	Wine		15%
	Spirits		ve 15%
	Forti		20%
		Save	

Figure 24

#### **Custom Purchases**

- a. Manually enter a purchase by tapping on *'Custom'* and selecting the *'Type'* of purchase from the dropdown.
- b. Then enter the 'Size' (in mL) of the item and the 'Amount' the patron has purchased.
- c. Once complete, tap 'Save'.

ast Kimberley - Kununu	rra & Wyndham			×
	Custom	(	×	
Beer or RTD to 7% 330mL x 1	Please enter the purchas	se	Beer or RTD to 7% 330mL x 30	
Beer or RTD to 7%	Туре		Beer or RTD to 7%	
375mL x 1	Beer or RTD to 7%	to 7% 🗸 375mL x 30		
Wine or Other to 15%	Wine or Other to 15%			
	Fortified Wine to 20%			
Spirits or Other above 15% 375mL x 1	Size in ml	Amount	Spirits or Other above 15% 1L x 1	6
Fortified Wine to 20% 375mL x 1			Fortified Wine to 20% 1L x 1	
		Save		
Custom	Override	Modify	Sale	



#### Previous purchases

When a patron has already made a purchase earlier in the day, the 'TAMS' screen displays the limited options now available for purchase for that patron.

<b>TAMS</b> East Kimberley - Kununurr	a		$\bigotimes$
Beer or RTD to 7%	Beer or RTD to 7%	Beer or RTD to 7%	Beer or RTD to 7%
330mL x 1	330mL x 6	330mL x 24	330mL x 30
Beer or RTD to 7%	Beer or RTD to 7%	Beer or RTD to 7%	Beer or RTD to 7%
375mL x 1	375mL x 6	375mL x 24	375mL x 30
Wine or Other to 15%	Wine or Other to 15%	Wine or Other to 15%	Wine or Other to 15%
250mL x 1	750mL x 1	1L x 1	750mL x 3
Spirits or Other above 15%	Spirits or Other above 15%	Spirits or Other above 15%	Spirits or Other above 15%
375mL x 1	700mL x 1	750mL x 1	1L x 1
Fortified Wine to 20%	Fortified Wine to 20%	Fortified Wine to 20%	Fortified Wine to 20%
375mL x 1	700mL x 1	750mL x 1	1L x 1
Custom	Override	Modify	Sale

Figure 26

Inco item	rrectly entered s:	East Ki	Modify     ×       Fortified Wine to 20%     1       1L x 1     1	2%
a. F F 2 <i>2</i> <i>1</i>	From the TAMS ourchase screen ( <i>Figure</i> 26), select Modify.	Be Win Spirits		7% 15% ve 15%
b. l t c t	Jse the bin icon to remove ndividual items or <i>'Remove all'</i> putton to clear the cart.	Fort	Remove All	20%





## Daily Purchase Limits Reached

When a patron has reached their daily purchase limit, all purchase options will be greyed out, indicating they are not available.

	East Kimberley - Kununurra & Wyn	dham	
	Override Purchase Li	imits	× 0.7%
verride	This action will remove in an entry in the syste	e all purchase limits. Proceeding with this option wil em	l result
e the Override	Reason Limits exceeded: Exempt	t sale with sufficient evidence $\checkmark$	o 15%
rchase limits	Exemption: Tourist		3 
	Spirits or Exemption: Station owne	er and the second se	pove 15%
ease check that	Fortific	x site employee/operator	o 20%
exemption is		Override	
ailable.	Custom	Override Modify	Sale
		Figure 29	



# **5 SCAN RESULTS**

# 5.1 BDR Scan Results

The scan takes approximately three seconds, after which the ID information screen will appear. Scan time may vary depending on your internal network.

OK

A green screen indicates the

 document is valid you can proceed with the purchase by selectin 'Accept'.





#### Banned

2.

This screen indicates the patron is banned.

The patron should not be permitted a sale.



Figure 31



Figure 32

## Possible Ban

This screen indicates that the captured details are very similar to a banned Patron.

If the patron matches the ban, select Match.

> The patron must be refused sale and the ban match confirmed.



#### S115 Banned

This orange screen indicates that the patron has been banned from the

4. venue by the Licensee (refer to 8 -*S115 Ban*).

> If the patron matches the ban, select *Match*.



#### Figure 33

Possible S115 Ban

Please review the ban match details below

#### Possible S115 Ban

This orange screen indicates that the patron's details are very similar to a patron that has been banned by the venue.

If the patron matches the ban, select *Match*.



MATCH

Sam Sample, 22 DOB: 15/10/2000



**DOB:** 15/10/2000 **EXP:** 13/10/2023 \$115

# 😢 NO МАТСН







Figure 35



Figure 36

#### Under 18

 This screen warns that the Patron is under 18 and should not be allowed to make an alcohol purchase.

#### Unrecognised

This orange screen warns you that the ID scanned is not recognized by the system, and a new ID must be scanned.

Scantek Solutions Pty Ltd | Banned Drinkers Register Mobile Application - User Manual





Figure 37



Figure 38

## Rescan

This orange screen warns you that the ID document was incorrectly scanned; or there was a misread scan.

#### DOB Not Read

9.

This orange screen warns you that the date of birth could not be read from the ID document.

Rescan the document or try another document.

Scantek Solutions Pty Ltd | Banned Drinkers Register Mobile Application - User Manual



## 5.2 TAMS Only scan results

Where TAMS has been enabled, once the system determines the patron is not banned, the system will also determine whether a patron is entitled to purchase alcohol, depending on what they have already purchased that day. The possible result for a TAMS enabled system are outlined in this section. For details on recording TAMS purchases, refer to <u>5.2 Recording a</u> <u>Purchase</u>.

The scan takes approximately three seconds, after which the ID information screen will appear. Scan time may vary depending on your internal network.





#### Warning

This orange screen warns you that previous purchases have been made by the patron you have scanned in.

BDR Thursday, 12/10/2023 4:23 pm	DIGITAL ID	NSW DDL	\$115 BAN	s 035
D Photo	Rescan Patroi FIRST NA LAST NA Samp DOCUME Proof DOCUME Quee	n Details 📀 MES Kun MES Ie Ie Of Age Card Of Age Card NT STATE	MIDDLE NAME EXPIRY DATE 16/06/2070 DOCUMENT COUN Australia	Edit 008 15/10/2000 AGE 22 TRY
WARNING Limited purchasing option	WARNING Limited purchasing options available			ot
Check the patron match	Check the patron matches their ID			S115 Ban

Figure 40



Figure 41

#### Limit Hit

This red screen
indicates that the patron has reached their daily purchase limit.

Scantek Solutions Pty Ltd | Banned Drinkers Register Mobile Application - User Manual



# 6 S115 BAN

The BDR Mobile app provides the functionality for a Licensee to add a S115 ban to the BDR system. The Operator will be alerted if the patron has been banned by a Licensee in accordance with s.115 of the Liquor Control Act 1988.

Where a patron has an active S115 ban, scanning their ID will produce result 4 shown in section <u>5.1 BDR Scan Results</u>.

#### Adding a S115 Ban

A S115 ban can be created in a variety of ways – from the main screen, the scan result screen or from previous sales.

To create a ban, the following information is required:

#	Item	Description
1.	Surname	Surname of the patron to be banned.
2.	First name(s)	First name(s) of the patron to be banned.
3.	Date of Birth	Date of birth of the patron to be banned, as it appears on the document.
4.	Ban Commencement date	The date that the S115 ban will commence.
5.	Ban duration	The length of time that the S115 ban will be active. This field allows the Operator to select a number and the unit of time (days, weeks, months, years).
6.	Ban Expiry date	The date that the S115 ban will expiry. This field is auto populated once the ban length has been selected.

Selecting the '*Create Ban*' button will save and add the S115 Ban to the system. A confirmation message will display with the banned persons' details (*Figure 42*).





Figure 42

**IMPORTANT:** S115 Bans are only applicable to the Licensee (venue) which created the ban.



#### 6.1.1 From a Scan

When the Operator scans an ID (refer to 3.2 To Scan an ID), the scan result screen is displayed with the option to Accept, Deny or S115 Ban the scanned patron.

To create the ban,

a. select the S115 Ban button to create the ban.

This will display a *S115 Ban* form prefilled with the captured document information, including the patron's full name and date of birth (DOB).

Create New S115 Ban ×						×
START DATE / TIME			DURATI	ON		
12 Oct 2023	3:(	00 pm	1≎	DAYS	$\diamond$	
FIRST NAMES*						
SAM						
SURNAME*						
SAMPLE						
DATE OF BIRTH*						
	14	Septemb	er	1999		
	15	October		2000		
	16	Novembe		2001		
		Decembe		2002 2003		
BAN EXPIRY DATE*				0.0		
13/10/202	23			O Crea	ate Ban	
						J

Figure 43

- b. Select the ban commencement dates.
- c. Select the ban duration. The expiry date will update automatically.
- d. Select *Create Ban* to add the S115 Ban to the BDR system (applicable to your venue only).



## 6.1.2 From the Main Screen

The main screen allows the Operator to add a S115 Ban by selecting the 'S115' button. Like creating a ban from a scanned ID, this will display an empty S115 Ban form (*Figure 44*).

Enter the patrons full name, DOB, ban start date/time and the ban duration, then select *Create Ban*.

	Create N	lew S	115 Ban		×	014
	START DATE / TIME		DUR	ATION		
	12 Oct 202	23 3	:01 pm 1	≎ DAYS	$\diamond$	
	FIRST NAMES*					
	SURNAME*				_	
	DATE OF BIRTH					
		9 10	July	2002		
		11	September	2004		
		12	October	2005		
		13	November	2006		
			December	2007		
Scan ID ar						
	BAN EXPIRY DATE*				to Don	
	13/10/20	)23		O Clea	ite ban	S115 Ban

Figure 44



#### 6.1.3 From previous sales

To add a S115 ban on the patron whose ID was previously scanned, from the main screen, select *S115 Bans* button (*Figure 45*).

A list of previous scans will be shown; select the patron you wish you ban. This will display a S115 Ban form prefilled with the captured document information (*Figure 43*), including the patron's full name and date of birth (DOB).

Select the ban commencement dates and ban duration, then select *Create Ban* to finalise the ban.

BDR Thursday, 12/10/2023 2:59 pm	DIGIT	AL ID 💽 NSW DDI	S115 BA	NS 013
ID Photo	C Rescan	Patron Details  FIRST NAMES  LAST NAMES  DOCUMENT TYPE  DOCUMENT STATE		Edit
Scan ID and Patron to g	et verification r	esults	Sca	n
SCAN	ITEK		Deny	S115 Ban



## 6.2 Remove a S115 Ban

An existing S115 Ban can be manually removed before its expiry date. From the main screen, select *S115 Bans* button. A S115 ban list will be shown; select the patron you wish you unban.

If you do not see a list of S115 bans, select the S115 Bans tab (Figure 46).





Figure 46

Select the patron whose S115 Ban you want to remove. This will display the patron's details, and a button to remove the S115 Ban (*Figure 47*).

Select the *Remove S115 Ban* button to remove the ban from the system.











# 7 Ban Matches

When a patron's scanned ID details partially match those of one or more existing ban, the App will display all the possible matches. The same will occur if there are multiple matches, or possible duplications. The scan image is shown side by side with the possible ban image and allows for the operators to compare and confirm or deny the ban match.

Where there is more than one ban match, swipe right on the *Active Ban* to see the next match (*Figure 48*).





Confirm the match by selecting '*Match*'. If the ban is not a match, tap the '*No Match*' button. The *No Match* will remain disabled until all possible matches have been reviewed.



# 8 Settings

To access the BDR Mobile App *Settings*, tap the setting icon.

BDR Tuesday, 07/11/2023 3:55 pm
Figure 49

The Settings feature provides access to user preferences and the Scantek Customer Support number.





Feature	Description
User Preferences	<ul> <li>Access to personalised features for ease of use, including:</li> <li>Left-right hand mode,</li> <li>Turbo scan mode, and</li> </ul>
	Photo capture speed.
Logout	This will sign you out of the BDR Mobile Application and back to the login screen.
-	Please note, you will be logged out automatically after 5- minutes of inactivity.
Helpdesk Number	This is the Scantek Customer Support number. Call this number for immediate phone support.





#### **User Preferences**

Settings	USER PREFERENCES
名 User Preferences	Right-handed Contract of the screen
	Turbo Mode Automatically open document capture screen after tapping on any decision button
	Photo capture speed Increase the speed to capture images faster or decrease to improve image quality
	BETTER FASTER
[→ Log out Having troubles?	
© 1300 552 106	

User preferences provide various settings that can be changed, based on user preference.

Figure 51

Feature	Description
Right-handed mode	<b>Enabled:</b> the action buttons on the screen are placed to the right-side of the screen. For reference, see <i>Figure 12</i> .
	<b>Disabled:</b> the action buttons will move to the left of the screen.
Turbo Mode	<b>Enabled:</b> once a scan has been actioned, the screen will immediately return to the document capture screen.
Tubo Wouc	<b>Disabled:</b> you must tap the Scan button to access the scanning interface.
Photo Capture Speed	Use the slider to choose between scan accuracy and document capture speed. By default, the functionality is set to the optimal position.



# 9 Important safety information for iPad

This information was taken from Apple's website (<u>https://support.apple.com/en-au/guide/ipad/ipad27098ef5/ipados</u>) on 07/11/2023.

**WARNING:** Failure to follow these safety instructions could result in fire, electric shock, injury, or damage to iPad or other property. Read all the safety information below before using iPad.

**Handling.** Handle iPad with care. It is made of metal, glass, and plastic and has sensitive electronic components inside. iPad or its battery can be damaged if dropped, burned, punctured, or crushed, or if it comes in contact with liquid. If you suspect damage to iPad or the battery, discontinue use of iPad, as it may cause overheating or injury. Don't use iPad with a cracked screen, as it may cause injury. If you're concerned about scratching the surface of iPad, consider using a case or cover.

**Repairing.** Don't open iPad and don't attempt to repair iPad yourself. Disassembling iPad may damage it or may cause injury to you. If iPad is damaged, malfunctions, or comes in contact with liquid, contact Apple or an Apple Authorized Service Provider. Repairs by service providers other than Apple or an Apple Authorized Service Provider may not involve the use of Apple genuine parts and may affect the safety and functionality of the device. You can find more information about repairs and service at the <u>iPad Repair website</u>.

**Battery.** An iPad battery should only be repaired by a trained technician to avoid battery damage, which could cause overheating, fire, or injury. Batteries should be recycled or disposed of separately from household waste and according to local environmental laws and guidelines. For information about battery service and recycling, see the <u>Battery Service and Recycling website</u>.

**Lasers.** The TrueDepth camera system and the LiDAR Scanner contain one or more lasers. These laser systems may be disabled for safety reasons if the device is damaged or malfunctions. If you receive a notification on your iPad that the laser system is disabled, you should always have it repaired by Apple or an Apple Authorized Service Provider. Improper repair, modification, or use of non-genuine Apple components in the laser systems may prevent the safety mechanisms from functioning properly and could cause hazardous exposure and injury to eyes or skin.

**Distraction.** Using iPad in some circumstances may distract you and might cause a dangerous situation (for example, avoid using headphones while riding a bicycle and avoid typing a text message while driving a car). Observe rules that prohibit or restrict the use of mobile devices or headphones.

**Navigation.** Maps depends on data services. These data services are subject to change and may not be available in all countries or regions, resulting in maps and location-based information that may be unavailable, inaccurate, or incomplete. Compare the information provided in Maps to your



surroundings. Use common sense when navigating. Always observe current road conditions and posted signs to resolve any discrepancies. Some Maps features require Location Services.

**Charging.** Charge iPad with the included USB cable and power adapter. You can also charge iPad with "Made for iPad" or other third-party cables and power adapters that are compliant with USB 2.0 or later and with applicable country regulations and international and regional safety standards. Other adapters may not meet applicable safety standards, and charging with such adapters could pose a risk of death or injury.

Using damaged cables or chargers, or charging when moisture is present, can cause fire, electric shock, injury, or damage to iPad or other property. When you charge iPad, make sure the USB cable is fully inserted into the power adapter before you plug the adapter into a power outlet. It's important to keep iPad, the USB cable, and the power adapter in a well-ventilated area when in use or charging.

**Charging cable and connector.** Avoid prolonged skin contact with the charging cable and connector when the charging cable is connected to a power source because it may cause discomfort or injury. Sleeping or sitting on the charging cable or connector should be avoided.

**Prolonged heat exposure**. iPad and its USB power adapter comply with required surface temperature limits defined by applicable country regulations and international and regional safety standards. However, even within these limits, sustained contact with warm surfaces for long periods of time may cause discomfort or injury. Use common sense to avoid situations where your skin is in contact with a device or its power adapter when it's operating or connected to a power source for long periods of time. For example, don't sleep on a device or power adapter, or place them under a blanket, pillow, or your body, when it's connected to a power source. Keep your iPad and its power adapter in a well-ventilated area when in use or charging. Take special care if you have a physical condition that affects your ability to detect heat against the body.

**USB power adapter.** To operate the Apple USB power adapter safely and reduce the possibility of heat-related injury or damage, plug the power adapter directly into a power outlet. Don't use the power adapter in wet locations, such as near a sink, bathtub, or shower stall, and don't connect or disconnect the power adapter with wet hands. Stop using the power adapter and any cables if any of the following conditions exist:

- The power adapter plug or prongs are damaged.
- The charge cable becomes frayed or otherwise damaged.
- The power adapter is exposed to excessive moisture, or liquid is spilled into the power adapter.
- The power adapter has been dropped, and its enclosure is damaged.



USB power adapter specifications:

Frequency	50 to 60 Hz, single phase
Line voltage	100 to 240 Vac
Output voltage	Refer to the output marking on the power adapter

**Hearing loss.** Listening to sound at high volumes may damage your hearing. Background noise, as well as continued exposure to high volume levels, can make sounds seem quieter than they actually are. Turn on audio playback and check the volume before inserting anything in your ear. For information about how to set a maximum volume limit on iPad, see <u>Reduce loud headphone</u> <u>sounds in Settings</u>. For more information about hearing loss, see the <u>Sound and Hearing website</u>.

**WARNING:** To prevent possible hearing damage, do not listen at high volume levels for long periods.

**Radio frequency exposure.** iPad uses radio signals to connect to wireless networks. For information about radio frequency (RF) energy resulting from radio signals, and steps you can take

to minimize exposure, go to Settings Section > General > Legal & Regulatory > RF Exposure, or see the <u>RF Exposure website</u>.

**Radio frequency interference.** Observe signs and notices that prohibit or restrict the use of mobile devices. Although iPad is designed, tested, and manufactured to comply with regulations governing radio frequency emissions, such emissions from iPad can negatively affect the operation of other electronic equipment, causing them to malfunction. When use is prohibited, such as while traveling in aircraft, or when asked to do so by authorities, turn off iPad, or <u>use</u>

<u>airplane mode</u> or Settings > Wi-Fi and Settings > Bluetooth to turn off the iPad wireless transmitters.

**Medical device interference.** iPad, iPad Smart Cover, Smart Folio, Smart Keyboard Folio, Magic Keyboard, Magic Keyboard Folio, and Apple Pencil contain magnets as well as components and/or radios that emit electromagnettic fields. These magnets and electromagnetic fields might interfere with medical devices.

Consult your physician and medical device manufacturer for information specific to your medical device and whether you need to maintain a safe distance of separation between your medical device and iPad, iPad Smart Cover, Smart Folio, Smart Keyboard Folio, Magic Keyboard for iPad or



Apple Pencil. Manufacturers often provide recommendations on the safe use of their devices around wireless or magnetic products to prevent possible interference. If you suspect iPad, iPad Smart Cover, Smart Folio, Smart Keyboard Folio, Magic Keyboard for iPad or Apple Pencil are interfering with your medical device, stop using these products.

Medical devices such as implanted pacemakers and defibrillators may contain sensors that respond to magnets and radios when in close contact. To avoid any potential interactions with these devices, keep your iPad, iPad Smart Cover, Smart Folio, Smart Keyboard Folio, Magic Keyboard for iPad, and Apple Pencil a safe distance away from your device (more than 6 inches/15cm, but consult with your physician and your device manufacturer for specific guidelines).

**Not a medical device.** iPad is not a medical device and should not be used as a substitute for professional medical judgment. It is not designed or intended for use in the diagnosis of disease or other conditions, or in the cure, mitigation, treatment, or prevention of any condition or disease. Please consult your healthcare provider prior to making any decisions related to your health.

**Medical conditions.** If you have any medical condition or experience symptoms that you believe could be affected by iPad or flashing lights (for example, seizures, blackouts, eyestrain, or headaches), consult with your physician prior to using iPad.

**Explosive and other atmospheric conditions**. Charging or using iPad in any area with a potentially explosive atmosphere, such as areas where the air contains high levels of flammable chemicals, vapours, or particles (such as grain, dust, or metal powders), may be hazardous. Exposing iPad to environments having high concentrations of industrial chemicals, including near evaporating liquified gasses such as helium, may damage or impair iPad functionality. Obey all signs and instructions.

**Repetitive motion.** When you perform repetitive activities, such as typing, swiping, or playing games on iPad, you may experience discomfort in your hands, arms, wrists, shoulders, neck, or other parts of your body. If you experience discomfort, stop using iPad and consult a physician.

**High-consequence activities.** This device is not intended for use where the failure of the device could lead to death, personal injury, or severe environmental damage.

**Choking hazard.** Some iPad accessories may present a choking hazard to small children. Keep these accessories away from small children.

**Magnetic interference**. The Magic Keyboard and Magic Keyboard Folio contain magnets that hold iPad securely in place. Avoid placing cards that store information on a magnetic strip—such as credit cards or hotel key cards—on Magic Keyboard and Magic Keyboard Folio surfaces that attach to iPad, as such contact may demagnetize the card.



# 10 Important handling information for iPad

This information was taken from Apple's website (<u>https://support.apple.com/en-au/guide/ipad/ipadab498ed1/ipados</u>) on 07/11/2023.

**Cleaning.** Clean iPad immediately if it comes in contact with anything that may cause stains or other damage—for example, dirt or sand, ink, makeup, soap, detergent, acids or acidic foods, and lotions. To clean:

- Disconnect all cables, then do one of the following to turn off iPad:
  - On an *iPad with a Home button*: Press and hold the top button until the slider appears, then drag the slider.
  - *On other iPad models:* Simultaneously press and hold the top button and either volume button until the sliders appear, then drag the top slider.
  - All models: Go to Settings 🙆 > General > Shut Down, then drag the slider.
- Use a soft, slightly damp, lint-free cloth—for example, a lens cloth.
- Avoid getting moisture in openings.
- Don't use cleaning products or compressed air.

The front of iPad is made of glass with a fingerprint-resistant oleophobic (oil-repellant) coating. This coating wears over time with normal usage. Cleaning products and abrasive materials will further diminish the coating and may scratch the glass.

Using connectors, ports, and buttons. Never force a connector into a port or apply excessive pressure to a button, because this may cause damage that is not covered under the warranty. If the connector and port don't join with reasonable ease, they probably don't match. Check for obstructions and make sure that the connector matches the port and that you have positioned the connector correctly in relation to the port.

Lightning to USB Cable. (models with a Lightning connector) Discoloration of the Lightning connector after regular use is normal. Dirt, debris, and exposure to moisture may cause discoloration. If your Lightning cable or connector become warm during use or your iPad won't charge or sync, disconnect it from your computer or power adapter and clean the Lightning connector with a soft, dry, lint-free cloth. Do not use liquids or cleaning products when cleaning the Lightning connector.

Lightning to USB Cable or USB-C Charge Cable. (depending on <u>model</u>) Certain usage patterns can contribute to the fraying or breaking of cables. The included cable, like any other metal wire or cable, is subject to becoming weak or brittle if repeatedly bent in the same spot. Aim for gentle curves instead of angles in the cable. Regularly inspect the cable and connector for any kinks, breaks, bends, or other damage. Should you find any such damage, discontinue use of the cable.



**Operating temperature**. iPad is designed to work in ambient temperatures between 32° and 95° F (0° and 35° C) and stored in temperatures between -4° and 113° F (-20° and 45° C). iPad can be damaged, and battery life shortened if stored or operated outside of these temperature ranges. Avoid exposing iPad to dramatic changes in temperature or humidity. When you're using iPad or charging the battery, it is normal for iPad to get warm.

If the interior temperature of iPad exceeds normal operating temperatures (for example, in a hot car or in direct sunlight for extended periods of time), you may experience the following as it attempts to regulate its temperature:

- iPad stops charging.
- The screen dims.
- A temperature warning screen appears.
- Some apps may close.

**Important:** You may not be able to use iPad while the temperature warning screen is displayed. If iPad can't regulate its internal temperature, it goes into deep sleep mode until it cools. Move iPad to a cooler location out of direct sunlight and wait a few minutes before trying to use iPad again.





Version	Release Date	Description
1.0	13/11/2023	Initial Release

